

SDG Goal 2 Zero hunger

SDG Target 2.2 **By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons**

SDG Indicator 2.2.2 **Prevalence of malnutrition (weight for height $\geq +2$ or ≤ -2 standard deviation from the median of the WHO Child Growth Standards) among children under 5 years of age, by type (wasting and overweight)**

Time series **Overweight**

1. General information on the time series

- Date of national metadata: 04 November 2021
- National data: <http://sdg-indikatoren.de/en/2-2-2/>
- Definition: The time series measures the prevalence of malnutrition among children aged 3 to 4 years. Overweight is defined as weight-for-height (weight in relation to height) above plus two standard deviation from the median of the World Health Organization (WHO) Child Growth Standards.
- Disaggregation: sex

2. Comparison with global metadata

- Date of global metadata: December 2016
- Global metadata: <https://unstats.un.org/sdgs/metadata/files/Metadata-02-02-02a.pdf>
- The time series is partly compliant with the global metadata. It covers only the range of 3- and 4-year-old children instead of 0- to 4- year olds.

3. Data description

- The data are derived on the “German Health Interview and Examination Survey for Children and Adolescents” (KiGGS). KiGGS is part of the health monitoring system at the Robert Koch Institute (RKI) and includes cross-sectional surveys of children and adolescents. KiGGS repeatedly supplies data, representative of the country as a whole, on the health of under 18-year-olds. The first KiGGS baseline study took place between 2003 and 2006 in the form of an interview and examination survey. The first follow-up study called KiGGS Wave 1 began in 2009 and ended in 2012. In this wave, the data were obtained by telephone interviews. KiGGS Wave 2 started in September 2014 and ended in August 2017. In addition to the interviews, the study program also included physical examinations, laboratory analysis of blood and urine samples as well as physical tests. In the examination part of KiGGS Wave 2 children aged 3 to 17 year were included. Therefore, data on height and weight for the age group under 5 years are only available for 3- and 4-year-old children (n=215 girls and 221 boys).

4. Accessibility of source data

- German Health Interview and Examination Survey for Children and Adolescents (KiGGS): <https://www.kiggs-studie.de/english/home.html>
- German Health Interview and Examination Survey for Children and Adolescents (KiGGS) - KiGGS Wave 2: <https://www.kiggs-studie.de/english/results/kiggs-wave-2/journal-of-health-monitoring.html>
- Public use files available: https://www.rki.de/EN/Content/Health_Monitoring/Public_Use_Files/public_use_file_node.html

5. Metadata on source data

6. Timeliness and frequency

- Timeliness: t + 12 months
- Frequency: Irregular

7. Calculation method

- Unit of measurement: Percentage
- Calculation method:

$$\text{Overweight among children} = \frac{\text{Overweight children}[\text{number}]}{\text{Children examined}[\text{number}]} \cdot 100$$

The data 2003-2006 are age-standardised prevalences (population status : 31.12.2015).

SDG Goal 2 Zero hunger

SDG Target 2.2 By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons

SDG Indicator 2.2.2 Prevalence of malnutrition (weight for height $\geq +2$ or ≤ -2 standard deviation from the median of the WHO Child Growth Standards) among children under 5 years of age, by type (wasting and overweight)

Time series Wasting

1. General information on the time series

- Date of national metadata: 04 November 2021
- National data: <http://sdg-indikatoren.de/en/2-2-2/>
- Definition: The time series measures the prevalence of malnutrition among children aged 3 to 4 years. Wasting is defined as weight-for-height (weight in relation to height) below minus two standard deviation from the median of the World Health Organization (WHO) Child Growth Standards.
- Disaggregation: sex

2. Comparison with global metadata

- Date of global metadata: December 2016
- Global metadata: <https://unstats.un.org/sdgs/metadata/files/Metadata-02-02-02b.pdf>
- The time series is partly compliant with the global metadata. It covers only the range of 3- and 4-year-old children instead of 0- to 4- year olds.

3. Data description

- The data are derived on the “German Health Interview and Examination Survey for Children and Adolescents” (KiGGS). KiGGS is part of the health monitoring system at the Robert Koch Institute (RKI) and includes cross-sectional surveys of children and adolescents. KiGGS repeatedly supplies data, representative of the country as a whole, on the health of under 18-year-olds. The first KiGGS baseline study took place between 2003 and 2006 in the form of an interview and examination survey. The first follow-up study called KiGGS Wave 1 began in 2009 and ended in 2012. In this wave, the data were obtained by telephone interviews. KiGGS Wave 2 started in September 2014 and ended in August 2017. In addition to the interviews, the study program also included physical examinations, laboratory analysis of blood and urine samples as well as physical tests. In the examination part of KiGGS Wave 2 children aged 3 to 17 year were included. Therefore, data on height and weight for the age group under 5 years are only available for 3- and 4-year-old children (n=215 girls and 221 boys).

4. Accessibility of source data

- German Health Interview and Examination Survey for Children and Adolescents (KiGGS): <https://www.kiggs-studie.de/english/home.html>
- German Health Interview and Examination Survey for Children and Adolescents (KiGGS) - KiGGS Wave 2: <https://www.kiggs-studie.de/english/results/kiggs-wave-2/journal-of-health-monitoring.html>
- Public use files available: https://www.rki.de/EN/Content/Health_Monitoring/Public_Use_Files/public_use_file_node.html

5. Metadata on source data

6. Timeliness and frequency

- Timeliness: t + 12 months
- Frequency: Irregular

7. Calculation method

- Unit of measurement: Percentage
- Calculation method:

$$\text{Wasting among children} = \frac{\text{Wasted children}[\text{number}]}{\text{Children examined}[\text{number}]} \cdot 100[\%]$$

The data 2003-2006 are age-standardised prevalences (population status : 31.12.2015).